

Fig. 1




FIG. 1

FIG. 2

IMAGE REGISTRATION/TRANSMISSION SERVER 10

Fig. 2




Fig. 3

SUPPORT INFORMATION TABLE

CLIENT CODE	ACCESS DEVICE	SYSTEM	TYPE	HEADER 1	HEADER 2	SUPPORT	OUTPUT TYPE	OUTPUT SIZE	TRIMMING	OUTPUT RESOLUTION	COLOR MODE	COLOR DEPTH	GAMMA CORRECTION	DITHER PROCESSING	IMAGE FORMAT
PC11	PC	OS-1	Browser-a	Cherry	BA	PRESENCE	DISPLAY	800 x 600	INSCRIPTION	-	RGB	8:8:8	NO	-	FORMAT 1
PC12			Browser-b		BB	PRESENCE	DISPLAY	780 x 560	INSCRIPTION	-	RGB	8:8:8	NO	-	FORMAT 1
PC10			STANDARD		-	PRESENCE	DISPLAY	640 x 480	INSCRIPTION	-	RGB	8:8:8	NO	-	FORMAT 1
PC21		OS-2	Browser-a	Bamboo	BA	PRESENCE	DISPLAY	788 x 588	INSCRIPTION	-	RGB	8:8:8	GAMMA 1	-	FORMAT 1
PC22			Browser-b		BB	PRESENCE	DISPLAY	788 x 548	INSCRIPTION	-	RGB	8:8:8	GAMMA 1	-	FORMAT 1
PC20			STANDARD		-	PRESENCE	DISPLAY	500 x 362	INSCRIPTION	-	RGB	8:8:8	GAMMA 1	-	FORMAT 1
PC00	PORTABLE TERMINAL	STANDARD	STANDARD	-	-	PRESENCE	DISPLAY	400 x 300	INSCRIPTION	-	RGB	8:8:8	NO	-	FORMAT 1
PT10		PDA-1(PORTABLE INFORMATION TERMINAL)	STANDARD	Plum	-	ABSENCE	DISPLAY	160 x 120	INSCRIPTION	-	B/W	-	NO	YES	FORMAT 1
PT21		PDA-2(PORTABLE INFORMATION TERMINAL)	PDA-2-a	Pine	A100	ABSENCE	DISPLAY	640 x 240	INSCRIPTION	-	B/W	-	NO	YES	FORMAT 1
PT22			PDA-2-b		B200	ABSENCE	DISPLAY	640 x 240	INSCRIPTION	-	RGB	4:4:2	NO	YES	FORMAT 1
PT20		STANDARD	STANDARD		-	ABSENCE	DISPLAY	640 x 240	INSCRIPTION	-	B/W	-	NO	YES	FORMAT 1
PT31		SmartPhone-1 (PORTABLE TELEPHONE SET)	SP-1-a	K-Style	A501K	PRESENCE	DISPLAY	98 x 64	INSCRIPTION	-	B/W	-	GAMMA 2	YES	FORMAT 2
PT32			SP-1-b		B501K	PRESENCE	DISPLAY	112 x 94	INSCRIPTION	-	GRAY	2	GAMMA 2	YES	FORMAT 2
PT33			SP-1-c		C501K	PRESENCE	DISPLAY	78 x 64	INSCRIPTION	-	RGB	4:4:2	GAMMA 3	YES	FORMAT 2
PT34			SP-1-d		D501K	PRESENCE	DISPLAY	88 x 62	INSCRIPTION	-	GRAY	2	GAMMA 2	YES	FORMAT 2
PT30			STANDARD		-	PRESENCE	DISPLAY	78 x 62	INSCRIPTION	-	B/W	-	NO	YES	FORMAT 2
PT41		SmartPhone-2 (PORTABLE TELEPHONE SET)	SP-2-a	MyPhone	A02	PRESENCE	DISPLAY	96 x 84	INSCRIPTION	-	RGB	4:4:2	GAMMA 3	YES	FORMAT 3
PT42			SP-2-b		B02	PRESENCE	DISPLAY	114 x 102	INSCRIPTION	-	GRAY	2	GAMMA 2	YES	FORMAT 3
PT40			STANDARD		-	PRESENCE	DISPLAY	96 x 84	INSCRIPTION	-	GRAY	2	NO	YES	FORMAT 3
PT00			STANDARD		-	PRESENCE	DISPLAY	78 x 62	INSCRIPTION	-	B/W	-	NO	YES	FORMAT 2
PS11	PRINT SERVER	THERMAL PRINTER	TA-a	P_Thermo	A7	ABSENCE	PAPER	A5	CIRCUMSCRIPTION	300dpi	CMY	8:8:8	GAMMA 4	-	FORMAT 1
PS12			TA-b		B700	ABSENCE	PAPER	A5	CIRCUMSCRIPTION	600dpi	CMY	8:8:8	GAMMA 4	-	FORMAT 1
PS10			STANDARD		-	ABSENCE	PAPER	A5	CIRCUMSCRIPTION	150dpi	CMY	8:8:8	GAMMA 4	-	FORMAT 1
PS21		THERMAL PRINTER	FLP-a	P_Exposur	FL7000	PRESENCE	PAPER	A6	CIRCUMSCRIPTION	300dpi	CMY	8:8:8	GAMMA 5	-	FORMAT 1
PS22			FLP-b		FL9000	PRESENCE	PAPER	A5	CIRCUMSCRIPTION	600dpi	CMY	8:8:8	GAMMA 5	-	FORMAT 1
PS20			STANDARD		-	PRESENCE	PAPER	A5	CIRCUMSCRIPTION	150dpi	CMY	8:8:8	GAMMA 5	-	FORMAT 1
PS30		LASER PRINTER	STANDARD	P_Laser	-	ABSENCE	PAPER	A4	INSCRIPTION	600dpi	B/W	-	NO	NO	FORMAT 4
PS40		INKJET PRINTER	STANDARD	P_Inc	-	ABSENCE	PAPER	A3	INSCRIPTION	600dpi	CMY	2:2:2	GAMMA 6	YES	FORMAT 5
PS00		STANDARD	STANDARD	P	-	PRESENCE	PAPER	A4	INSCRIPTION	150dpi	B/W	-	NO	NO	FORMAT 1
FS00	FAGSIMILE CONVERSION	STANDARD	STANDARD	-	FAX	ABSENCE	PAPER	A4	INSCRIPTION	180dpi	B/W	-	NO	NO	FORMAT 6
DF00	STANDARD	STANDARD	STANDARD	-	-	PRESENCE	DISPLAY	78 x 62	INSCRIPTION	-	B/W	-	NO	NO	FORMAT 1

Fig. 4




Fig. 5

ORIGINAL IMAGE (1200 PIXELS x 1200 PIXELS)
RGB COLOR
JPEG IMAGE FORMAT




Fig. 6

IMAGE FOR PC11 (600 PIXELS x 600 PIXELS)
RGB COLOR
JPEG IMAGE FORMAT
INSCRIPTION TRIMMING




Fig. 7

IMAGE FOR PT31 (64 PIXELS x 64 PIXELS)
DITHER AND 256 COLORS
PNG IMAGE FORMAT
INSCRIPTION TRIMMING




09372008-060401

Fig. 8

IMAGE FOR PS21


1240 PIXELS x 1754 PIXELS
CMY COLOR
JPEG IMAGE FORMAT
CIRCUMSCRIPTION TRIMMING



09872008-050401
T04090-8002/860

Fig. 9

IMAGE FOR FS00 (1488 PIXELS x 2105 PIXELS
NO DITHER AND GRAY LEVEL
TIFF IMAGE FORMAT
CIRCUMSCRIPTION TRIMMING)



T04050" B002/260

Fig. 10

PERSONAL COMPUTER 31B





Fig. 11

PORTABLE TELEPHONE SET 32



T04090" 8002/860


Fig. 12

Fig. 13





Fig. 14


Fig. 15

Fig. 16





Fig. 17

Fig. 18

IMAGE SERVICE

☐ INFORMATION FROM
IMAGE SERVICE A11

☐ ABOUT SERVICE

☐ Q & A

☐ INQUIRY

NUMBER OF CURRENT ORDERS
FOR PRINTS IS 0

PRINT ORDER! A15

☐ KEYWORD RETRIEVAL A12

IMAGE
RETRIEVAL!

☐ GROUP RETRIEVAL A13

IMAGE
RETRIEVAL!

☐ REGISTRANT
LOG-IN HERE! A14

HANDLE NAME

LOG-IN

W11

T04030" 8002/880





Fig. 19





W12





IMAGE SERVICE

☐ RETRIEVAL RESULT LIST RETRIEVAL KEYWORD : ***

THERE ARE 12 IMAGES 2/4 -TH PAGE IS CURRENTLY DISPLAYED A21

	TITLE	CATEGORY	CONTRIBUTOR
A22 	GRADUATION TRAVEL	<u>SNAP</u>	<u>TARO TOKKYO</u>
	GRADUATION TRAVEL	<u>SNAP</u>	<u>TARO TOKKYO</u>
A22 	Mis. MASAKO	<u>PORTRAIT</u>	<u>HANAKO JITUYO</u>
	<u>HELLO!</u>	<u>PORTRAIT</u>	<u>HANAKO JITUYO</u>

A23  A23a  A23b  A23c  A23d

A24  RETURN A25  PRINT ORDER! A26  HELP A27  LOG-OFF

T04090"80022860

W13

IMAGE SERVICE

★ TITLE ★
HELLO

★ CATEGORY ★
PORTRAIT

★ CONTRIBUTOR ★
HANAKO JITUYO

★ MEMO ★
WE THINK YOU WILL BE
INTERESTED IN PICTURE SERIES...

★ URL ★
<http://www.pixnet.co.jp/servlet/pixview?ID=003502>

<< < > >>

NUMBER OF ORDERS FOR PRINTS OF IMAGE IS CURRENTLY ZERO
SET NUMBER OF ORDERS FOR PRINTS OF IMAGE TO...

RETURN PRINT ORDER! HELP LOG-OFF

Fig. 21



09872008.050401

Fig. 22

W21

IMAGE SERVICE

KEYWORD RETRIEVAL A51

IMAGE
RETRIEVAL!

GROUP RETRIEVAL A52

CATEGORY

IMAGE
RETRIEVAL!

REGISTRANT
LOG-IN HERE! A53

HANDLE NAME

LOG-IN

CURRENT ORDER 0 A54

PRINT ORDER! A55

1. INFORMATION A56

2. DESCRIPTION OF SERVICE

3. Q & A

4. INQUIRY

#.HELP A57

20140908 0002/360

Fig. 23

W22

IMAGE SERVICE

A61 → KEY : ***
12HITS 2/4

TITLE

A62 →

1. GRADUATION TRAVEL
2. GRADUATION TRAVEL
3. Mis. MASAKO
4. HELLO!

A63 →

◀
<
>
▶

◀
<
>
▶

◀
<
>
▶

A63a A63b A63c A63d

0. RETURN ← A64

PRINT ORDER! ← A65

7. FORWARD * NEXT A66

8. TOP 9. LAST

#. HELP

Fig. 24




Fig. 25

SUPPORT INFORMATION TABLE

CLIENT CODE	ACCESS DEVICE	SYSTEM	TYPE	HEADER 1	HEADER	SUPPORT	REQUEST	OUTPUT TYPE	OUTPUT SIZE	TRIMMING	OUTPUT RESOLUTION	COLOR MODE	COLOR DEPTH	GAMMA CORRECTION	DITHER PROCESSING	IMAGE FORMAT
PC11	PC	OS-1	Browser-a	Cherry	BA	PRESNCE	-	DISPLAY	800 x 600	INSCRIPTION	-	RGB	8:8:8	NO	-	FORMAT 1
PC12			Browser-b		BB	PRESNCE	-	DISPLAY	780 x 560	INSCRIPTION	-	RGB	8:8:8	NO	-	FORMAT 1
PC10			STANDARD		-	PRESNCE	-	DISPLAY	640 x 480	INSCRIPTION	-	RGB	8:8:8	NO	-	FORMAT 1
PC21			Browser-a	Bamboo	BA	PRESNCE	-	DISPLAY	788 x 588	INSCRIPTION	-	RGB	8:8:8	GAMMA 1	-	FORMAT 1
PC22			Browser-b		BB	PRESNCE	-	DISPLAY	788 x 548	INSCRIPTION	-	RGB	8:8:8	GAMMA 1	-	FORMAT 1
PC20	PORTABLE TERMINAL	OS-2	STANDARD		-	PRESNCE	-	DISPLAY	500 x 362	INSCRIPTION	-	RGB	8:8:8	GAMMA 1	-	FORMAT 1
PC00			STANDARD		-	PRESNCE	-	DISPLAY	400 x 300	INSCRIPTION	-	RGB	8:8:8	NO	-	FORMAT 1
PT10			STANDARD	Plum	-	ABSENCE	-	DISPLAY	160 x 120	INSCRIPTION	-	B/W	-	NO	YES	FORMAT 1
PT21			PDA-2-a	Pine	A100	ABSENCE	-	DISPLAY	640 x 240	INSCRIPTION	-	B/W	-	NO	YES	FORMAT 1
PT22			PDA-2-b		B200	ABSENCE	-	DISPLAY	640 x 240	INSCRIPTION	-	RGB	4:4:2	NO	YES	FORMAT 1
PT20		SmartPhone-1 (PORTABLE TELEPHONE SET)	STANDARD		-	ABSENCE	-	DISPLAY	640 x 240	INSCRIPTION	-	B/W	-	NO	YES	FORMAT 1
PT31			SP-1-a	K-Style	A501K	PRESNCE	-	DISPLAY	98 x 64	INSCRIPTION	-	B/W	-	GAMMA 2	YES	FORMAT 2
PT32			SP-1-b		B501K	PRESNCE	123	DISPLAY	112 x 94	INSCRIPTION	-	GRAY	2	GAMMA 2	YES	FORMAT 2
PT33			SP-1-c		C501K	PRESNCE	-	DISPLAY	78 x 64	INSCRIPTION	-	RGB	4:4:2	GAMMA 3	YES	FORMAT 2
PT34			SP-1-d		D501K	PRESNCE	-	DISPLAY	88 x 62	INSCRIPTION	-	GRAY	2	GAMMA 2	YES	FORMAT 2
PT30		SmartPhone-2 (PORTABLE TELEPHONE SET)	STANDARD		-	PRESNCE	-	DISPLAY	78 x 62	INSCRIPTION	-	B/W	-	NO	YES	FORMAT 2
PT41			SP-2-a	MyPhone	A02	PRESNCE	-	DISPLAY	98 x 84	INSCRIPTION	-	RGB	4:4:2	GAMMA 3	YES	FORMAT 3
PT42			SP-2-b		B02	PRESNCE	-	DISPLAY	114 x 102	INSCRIPTION	-	GRAY	2	GAMMA 2	YES	FORMAT 3
PT40			STANDARD		-	PRESNCE	-	DISPLAY	98 x 84	INSCRIPTION	-	GRAY	2	NO	YES	FORMAT 3
PT00			STANDARD		-	PRESNCE	-	DISPLAY	78 x 62	INSCRIPTION	-	B/W	-	NO	YES	FORMAT 2
PS11	PRINT SERVER	THERMAL PRINTER	TA-a	P_Thermo	A7	R200	45	PAPER	A5	CIRCUMSCRIPTION	300dpi	CMY	8:8:8	GAMMA 4	-	FORMAT 1
PS12			TA-b		B700	ABSENCE	-	PAPER	A5	CIRCUMSCRIPTION	600dpi	CMY	8:8:8	GAMMA 4	-	FORMAT 1
PS10			STANDARD		-	ABSENCE	-	PAPER	A5	CIRCUMSCRIPTION	150dpi	CMY	8:8:8	GAMMA 4	-	FORMAT 1
PS21			FLP-a	P_Exposure	FL7000	PRESNCE	-	PAPER	A6	CIRCUMSCRIPTION	300dpi	CMY	8:8:8	GAMMA 5	-	FORMAT 1
PS22			FLP-b		FL9000	PRESNCE	-	PAPER	A5	CIRCUMSCRIPTION	600dpi	CMY	8:8:8	GAMMA 5	-	FORMAT 1
PS20		LASER PRINTER	STANDARD		-	PRESNCE	-	PAPER	A5	CIRCUMSCRIPTION	150dpi	CMY	8:8:8	GAMMA 5	-	FORMAT 1
PS30			STANDARD	P_Laser	-	ABSENCE	-	PAPER	A4	INSCRIPTION	600dpi	B/W	-	NO	NO	FORMAT 4
PS40			STANDARD	P_Inc	-	ABSENCE	-	PAPER	A3	INSCRIPTION	600dpi	CMY	2:2:2	GAMMA 6	YES	FORMAT 5
PS00			STANDARD	P	-	PRESNCE	-	PAPER	A4	INSCRIPTION	150dpi	B/W	-	NO	NO	FORMAT 1
F500			STANDARD		FAX	ABSENCE	-	PAPER	A4	INSCRIPTION	180dpi	B/W	-	NO	NO	FORMAT 6
DF00	STANDARD	STANDARD	STANDARD	-	-	PRESNCE	-	DISPLAY	78 x 62	INSCRIPTION	-	B/W	-	NO	NO	FORMAT 1

Fig. 26





Fig. 27



T04090"8002/860

Fig. 28

